


COUNTY OF SAN DIEGO

• DEPARTMENT OF PLANNING AND LAND USE
BUILDING DIVISION

SAMPLE PRESENTATION FOR STORMWATER BEST MANAGEMENT PRACTICES (BMPs)

BMP LEGEND



SS-9 BROW DITCH → →
SS-9 BERM → B →

DIRECTION OF LOT DRAINAGE → →

WASTE MANAGEMENT CONTROL BMPs:

WM-1 MATERIAL DELIVERY & STORAGE
WM-8 CONCRETE WASTE MANAGEMENT
WM-5 SOLID WASTE MANAGEMENT
WM-9 SANITARY WASTE MANAGEMENT
WM-6 HAZARDOUS WASTE MANAGEMENT

TEMPORARY RUNOFF CONTROL BMPs:

SC-1 SILT FENCE —■—
SC-5 FIBER ROLLS —FR—FR—
SC-6 GRAVEL BAGS ○○○○○
TC-1 STABILIZED CONSTRUCTION ENTRANCE

PERMANENT BMPs:

SS-10 ENERGY DISSIPATOR
SD-11 DRAINAGE FROM ROOF AREAS AND OTHER IMPERVIOUS SURFACES SHALL BE DIRECTED TO FLAT VEGETATED AREAS
SD-20 SLOPE PAVEMENT TOWARDS FLAT VEGETATED AREAS OR POROUS PAVEMENT

LAND DISTURBANCE AREA:

21500 SQ. FT.

0.5 ACRES

SHOW THE AMOUNT OF LAND DISTURBANCE AREA DURING CONSTRUCTION IN SQUARE FEET

NOTE: SEE COUNTY OF SAN DIEGO STORMWATER BEST MANAGEMENT PRACTICES - REFERENCE GUIDE (PUBLICATION DPLU #143) FOR ALTERNATE STORMWATER MEASURES. YOUR PROJECT MAY NOT USE ALL OF THE BMP MEASURES SHOWN.